



FLUX — G

ELECTRIC MOBILITY


ORINNO



FLUX — G

Ride faster and smoother on roads, gravel and dirt. These gravel bikes for men feature lightweight frames with endurance geometry and generous tire clearance. Whether you're racing a gravel grinder or exploring backcountry roads, we have the perfect gravel endurance bike to ride variable terrain.



25 KM/H



350 W



70-120 KM

Tested at an average speed of 10-45 km/h; rider weight 75 kg.


Aerodynamic Optimization


Reduced Air Resistance : The integrated handlebar design conforms more closely to the rider's posture, minimizing the frontal area of the handlebar section. This configuration is significantly enhancing high-speed riding efficiency.



Make Your Life With Passion

Everything you love about road riding, with an added boost of pedal power. These cutting-edge road E-bikes help you conquer tough climbs and extend your ride. Now you can ride farther and faster than you ever thought possible with an electric road bike from ORINNO.





The **integrated handlebar** delivers a streamlined and minimalist profile, while its internal cable routing conceals brake and shift lines—reducing aerodynamic drag and achieving a cleaner aesthetic.

Curated High-Quality Components for High-Performance E-Bike Kits

We deliver one-stop integrated solutions that optimize component compatibility, minimize matching and calibration issues, streamline maintenance, and ensure a seamless riding experience through continuously upgraded service systems.

Bicycle electronic shifting systems significantly enhance gear change precision, enable swift adaptation to terrain variations, reduce hand fatigue, and optimize cycling efficiency.





 Red+Black

 White+ Black

 Clear Blue

 Colorful Blue

 Nightedge Violet

 Carbon Fiber

TECHNICAL INFORMATION			
Frame	Carbon Fiber		
Battery model	Polymer lithium battery	Battery capacity	36V14Ah
Motor Power	250W	Ground Clearance	170mm
Overall Size	1700×630×945mm	Wheel Base	1300mm
Vehicle Weight	16KG	Charger	42V/3A
Charging Time	2.8h-80%	Climbing angle	20°
Max Load	200KG	Autonomy	70-120 km*
Brakes	Wheeltop EDS	Max speed	25km/h
Speed Shifter	Wheeltop electronic speed EDS	Seat Height (R point)	Adjustable
Transmiss	Chain + 10 speed flywheel	Rims	700Cx38
Handlebar	Bent carbon fiber	Colors	Red + Black,Green, Blue, Red, customizable

Warning: The photos and technical information in this catalogue may refer to prototypes subject to modifications during production and are purely for illustration and reference purposes, and are therefore not binding on Orinno. Orinno cannot be held responsible for any print and/or translation errors. This catalogue is transnational and therefore some products may not be available and/or their features may vary in accordance with local laws. Not all colours and versions are available in each country. Orinno reserves the right to make changes and improvements to any product without obligation of prior notice or to make such changes to products already sold. Further characteristics of the products are contained in the pertinent owner’s manuals. The products represented are not definitive versions and are therefore subject to significant changes at Orinno’s discretion without prior notice. The photographs published in this catalogue show only professional riders under controlled street conditions. Do not attempt to imitate such riding behaviour as it could be dangerous for you or other people on the road. This catalogue, including but not limited to the trademarks, logos, texts, images, graphics and table of contents herein, constitute Orinno intellectual property, or in any event Orinno has the right to reproduce it; any reproduction, modification or other whole or partial use of the catalogue or its contents, including publication on the Internet without the prior written consent of Orinno, is prohibited. Actual battery consumption may vary based on many factors, including but not limited to riding style, maintenance performed, weather conditions, surface characteristics, tyre pressure, load, weight of the rider and the passenger, accessories. The weights in running order are considered with all operating fluids, standard equipment and battery. For more information visit www.orinno.com.cn.

April 2025

ORINNO Limited
No.16 Luoyuan Road, Luowei Industrial Park, Yufeng District
Liuzhou City, Guangxi, China
Mr. Mo Tel: (0086)13978013883
Mail: mo@orinno.com.cn

ORINNO EUROPE
9 Rue des Émaux, 25490 Dampierre-les-Bois, France
Mr. Li Shi
Tel: 0033695689327
Mail: lee@haishi.eu

ORINNO International
Mr. Hu Tel: (0086)191012332262
Mail: Hu@orinno.com.cn